

ELIZABETH

DAMEN SHOALBUSTER 2509 multipurpose support vessel

MANAGED ON BEHALF OF: L.H. Visser & Zn. Towage and Marine Services, Holland



A company within the
TSCUDI group



ELIZABETH

**DAMEN SHOALBUSTER 2509
MULTIPURPOSE SUPPORT VESSEL**

**MANAGED ON BEHALF OF:
L.H. VISSER & ZN. TOWAGE AND MARINE SERVICES, HOLLAND**

IMO NUMBER	8944381	GROSS	140,0	TONS
CALLSIGN	P B G N	NETT	108.0	TONS
IRIDIUM	0088 163 182 0787	LENGTH OA	25,90	MTR
MMSI	245674000	LENGTH PP	23,09	MTR
BUILT	2002	BEAM	9,00	MTR
REGISTRY	TEXEL, THE NETHERLANDS	DEPTH	3,20	MTR
CLASS	BUREAU VERITAS	SUMMERDRAFT	2,40	MTR
	I 3/3 E TUG DEEP SEA			

MAIN ENGINES	2 X CATERPILLAR, 3508 DITA ELECTRONIC, MAX OUTPUT 1.000 BHP EACH
B.H.P.	2.000 BHP
BOLLARD PULL	25,7 TONS CERTIFIED
PROPELLORS	TWO FIXED PITCH PROPELLERS IN OPTIMA NOZZLES
BOW THRUSTER	100 BHP HYDRAULIC DRIVEN
GENERATORS	1 X JOHN DEERE 87 KVA 230 / 400 VOLT
	1 X HATZ 35 KVA 230 / 400 VOLT
	1 X JOHN DEERE 235 BHP HYDRAULIC POWER

ACCOMODATION SUITABLE FOR 5 PERSONS, STANDARD CREW IS 3 INCLUDING MASTER

MAX SPEED / CONS	11,5 KNOTS AT 7 T/24 HOURS
ECON. SPEED / CONS	9,0 KNOTS AT 5 T/24 HOURS
CONS IN PORT	0.5 T/24 HOURS
CONS STANDBY AT SEA	1 T/24 HOURS
FUEL FOR MAIN ENGINES	MGO

ANCHOR HANDLING / TOWING WINCHES	DOUBLE DRUM ANCHOR HANDLING WINCH, RATED PULL 50 TONS
	DRUM 1 CAPACITY 700 MTR WIRE @ 36 MM DIAM
	DRUM 2 CAPACITY 350 MTR WIRE @ 36 MM DIAM

DECK EQUIPMENT	HYDRAULIC CRANE, SWL 4 T AT 14,1 MTR OUTREACH
	ANCHOR HANDLING STERN ROLLER
	CAPSTAN 3 TONS

TOWING PINS	WK HYDRAULICS, TRIPLE PIN TYPE, SWL 70 TONS
	TOWING HOOK, SWL 25 TONS
	A-FRAME, SWL 30 TONS

DECK AREA	FREE DECK AREA 60 M² - 15 TS/M²
------------------	--

TANK CAPACITIES			
FUEL OIL	74,0 M³	HYDRAULIC OIL	1,1 M³
FRESH WATER	15,4 M³	BILGE WATER	3,5 M³
LUBRICATING OIL	2,7 M³	SEWAGE	1,5 M³

NAVIGATION EQUIPMENT INCLUDES GYRO COMPASS WITH 2 REPEATERS, MAGNETIC COMPASS, AUTOMATIC PILOT, RADAR UNIT WITH MONITORS, ECHO SOUNDER, GPS NAVIGATOR, NAVTEX RECEIVER, VHF (INCLUDING PORTABLE), ELECTRONIC CHART SYSTEM

