

# ITC MISTRAL / ITC MELTEMI

31 / 34 tons B.P.

MULTIPURPOSE SUPPORT VESSEL

Damen Shoalbuster 2609



A company within the  
**TSCHUDI** group



## ITC MISTRAL / ITC MELTEMI

31 / 34 TONS B.P.  
 MULTIPURPOSE SUPPORT VESSEL  
 Damen Shoalbuster 2609

### ITC MISTRAL

IMO NUMBER: 9453925  
 CALLSIGN: P H L K  
 MMSI: 244816000  
 BUILT: 2007  
 YARD: DAMEN SHIPYARDS, HARDINXVELD  
 REGISTRY: AMSTERDAM, THE NETHERLANDS  
 CLASS: LLOYDS REGISTER  
 100A1, TUG, LMC, UMS

### ITC MELTEMI

IMO NUMBER: 9531624  
 CALLSIGN: P B P R  
 MMSI: 246127000  
 BUILT: 2009  
 YARD: DAMEN SHIPYARDS, HARDINXVELD  
 REGISTRY: AMSTERDAM, THE NETHERLANDS  
 CLASS: LLOYDS REGISTER  
 100A1, TUG, LMC, UMS

GROSS NETT	212 TONS	BEAM	9,10 MTR
LENGTH OA	63 TONS	DEPTH	3,60 MTR
LENGTH PP	26,02 MTR	DRAFT	2,63 MTR
	23,36 MTR	DISPLACEMENT	270 TONS

MAIN ENGINES	2 X CATERPILLAR, 3508B TA, MAX OUTPUT 1.100 BHP EACH
B.H.P.	2.200 BHP
BOLLARD PULL ITC MISTRAL	31 TONS MAX
BOLLARD PULL ITC MELTEMI	34 TONS MAX
PROPELLORS	TWO FIXED PITCH PROPELLERS IN OPTIMA NOZZLES
BOW THRUSTER	100 BHP HYDRAULIC DRIVEN
GENERATORS	2 X JOHN DEERE 4045 TF 258, 87 KVA 220 / 380 VOLT
HYDRAULIC SET	1 X CATERPILLAR C9, 269 KW

ACCOMODATION SUITABLE FOR 7 PERSONS, STANDARD CREW IS 5 INCLUDING MASTER

MAX SPEED / CONS	11,5 KNOTS AT 8 T/24 HOURS
ECON. SPEED / CONS	9,0 KNOTS AT 6 T/24 HOURS
CONS IN PORT	0.5 T/24 HOURS
CONS STANDBY AT SEA	1 T/24 HOURS
FUEL FOR MAIN ENGINES	MGO

ANCHOR WINCH	RIDDERINKHOF, HYDRAULIC
ANCHOR HANDLING / TOWING WINCHES	47 T - 2,5 M/MIN / 5 T - 17,5 M/MIN
	DRUM 1 CAPACITY 600 MTR WIRE @ 36 MM DIAM
	DRUM 2 CAPACITY 300 MTR WIRE @ 36 MM DIAM
TUGGER WINCH	PULL = 8 T - 4,5 M/MIN / 0,5 T - 20 M/MIN

DECK CRANE	HEILA HLRM 140 - 4SL REMOTE CONTROLLED
LIFTING CAPACITY	TONS (METRIC) 16,80 11,90 8,50 6,55 5,30
	MTR. OUTREACH 7,69 10,24 12,79 15,34 18,03 (MAX)

STERN ROLLER	SWL 50 TON IN 45 DEGREES ANGLE DOWNWARDS
TOWING PINS	WK HYDRAULICS, TRIPLE PIN TYPE, SWL 60 TONS
DECK AREA	FREE DECK AREA 60 M <sup>2</sup> - 15 TS/M <sup>2</sup>

TANK CAPACITIES				
FUEL OIL	126,5 M <sup>3</sup>	HYDRAULIC OIL	1,7 M <sup>3</sup>	
FRESH WATER	30,3 M <sup>3</sup>	BILGE WATER	3,8 M <sup>3</sup>	
LUBRICATING OIL	1,7 M <sup>3</sup>	SEWAGE	2,2 M <sup>3</sup>	

NAVIGATION EQUIPMENT INCLUDES GYRO COMPASS WITH REPEATER, MAGNETIC COMPASS, AUTOMATIC PILOT, RADAR UNIT WITH MONITORS, ECHO SOUNDER, GPS NAVIGATOR, NAVTEX RECEIVER, VHF (INCLUDING PORTABLE), ELECTRONIC CHART SYSTEM

ALL DETAILS ARE BELIEVED TO BE CORRECT, BUT NOT GUARANTEED

